

CABLE SPECIFICATION

Conductors				Jacket					Type
Catalog Number	NO	Guage	Stranding	UL Style	Material	Color	Dia.	Color Code	Typical Part Number
01	2	0.75mm ²	22×.20	2464	PVC	Orange	6.8	brown blue	Z-FS2PAV012 Z-FA2PAV012 Z-FS2KAV012 Z-MS2PAV012 Z-MA2PAV012 Z-MS2KAV012
02	5	0.50mm ²	16 ×.20	2464	PVC	Orange	6.8	black blue yellow/green brown white	Z-FS5PAV022 Z-FA5PAV022 Z-MS5PAV022 Z-MA5PAV022
03	3	0.75mm ²	22 ×.20	2464	PVC	Orange	7.2	brown black blue	Z-FS3PAV032 Z-FA3PAV032 Z-MS3PAV032 Z-MA3PAV032
04	3	0.34mm ²	42 × 0.10mm		PUR/PVC	Orange	5.0	brown blue black	R-FS3TZY042 R-FS4/3TZY042 R-FA3TZY042 R-FA4/3TZY042 R-FS4/3TPY042 R-FA4/3TPY042A R-FA4/3TNY042C R-FA4/3TPY042H R-MS3TZY042 R-MS4/3TZY042 R-MA3TZY042 R-MA4/3TZY042 R-MA4/3TNY042 R-MA4/3TNV042 C-FS3NZY042 C-FA3NZY042 C-FS3TZY042 C-FA3TZY042 C-FA3NPY042 C-FA3NNY042 C-FA3TPY042 C-FA3TNY042 C-MS3NZY042 C-MS3TZY042 C-MA3TZY042

CABLE SPECIFICATION

Conductors				Jacket					Type
Catalog Number	NO	Guage	Stranding	UL Style	Material	Color	Dia. ϕ mm	Color Code	Typical Part Number
05	3	0.50mm ²	16x0.2mm		PUR/PVC	Black	5.5	brown blue green/yellow	V-FANAVY05XX V-FAZBVY552 V-FAEBVY552 V-FAZBVY552 V-FAESY552 V-FAZDVY552 V-FAEDVY552 V-FAZDSY552 V-FAEDSY552 V-FANAVY552 V-FANASY552 V-FANCVY552 V-FANGVY552
06	3	0.34mm ²	42x0.1mm	2464	PVC	Orange	5.0	brown blue black	R-FS3TZV062 R-FS4/3TZV062 R-FA3TZV062 R-FA4/3TZV062 R-FS4/3TPV062 R-FA4/3TPV062A R-FA4/3TNV062C R-FA4/3TPV062H R-MS3TZV062 R-MS4/3TZV062 R-MA3TZV062 R-MA4/3TZV062 R-MA3TPV062 R-MA4/3TPV062 R-MA3TNV062 R-MA4/3TNV062 C-FS3NZV062 C-FA3NZV062 C-FS3TZV062 C-FA3TZV062 C-FA3NPV062 C-FA3NNV062 C-FA3TPV062 C-FA3TNV062 C-MS3NZV062 C-MS3TZV062 C-MA3TZV062 U2-R4/3Z-06XX
07	4	0.25mm ²	32x0.1mm	2464	PVC	Orange	5.0	brown white blue black	R-FA4TZV072 R-FS4TPV072 R-FA4TPV072F R-FA4TNV072G R-FA4TNV072P R-MS4TZV072 R-MA4TZV072 C-FS4NZV072 C-FA4NZV072 C-FS4TZV072 C-FA4TZV072 C-MS4NZV072 C-MS4TZV072 C-MA4TZV072
08	3	0.50mm ²	16x0.2mm	2464	PVC	Orange	6.3	brown black blue	Z-FS3PAV082/B Z-FA3PAV082/B Z-FS3KAV082 Z-MS3PAV082/B Z-MA3PAV082/B Z-MS3KAV082

CABLE SPECIFICATION

Conductors				Jacket					Type
Catalog Number	NO	Guage	Stranding	UL Style	Material	Color	Dia. ϕ mm	Color Code	Typical Part Number
09	8	0.25mm ²	32 x .10mm		PUR	Orange	6.0	white brown green yellow grey pink blue red	R-FS8TZU092 R-MS8TZU092
10	7	3x.75mm ²	96x.10mm	2464	PVC	Yellow	8.4	brown blue green/yellow	ASTR4-5/4AZ-10XX ASTR4-5/4PA-10XX ASTR4-5/4NA-10XX
		4x.34mm ²	42x.10mm					white green yellow grey	
11	9	3x.75mm ²	96x.10mm	2464	PVC	Yellow	9.0	brown blue green/yellow	DSTR6-5/4AZ-11XX DSTR6-5/4PA-11XX DSTR6-5/4NA-11XX
		6x.34mm ²	42x.10mm					white green yellow grey pink red	
12	11	3x.75mm ²	96x.10mm	2464	PVC	Yellow	9.0	brown blue green/yellow	DSTR8-5/4AZ-12XX DSTR8-5/4PA-12XX DSTR8-5/4NA-12XX
		8x.34mm ²	42x.10mm					white green yellow grey pink red black violet	
13	11	3x1.0mm ²	128x.10mm		PVC	Black	9.3	brown blue green/yellow	ALTR4-5/5UZ-1XX3 ALTR4-5/5PC-1XX3
		8x.50mm ²	64x.10mm					grey/pink red/blue white/green brown/green white green yellow grey	
14	12	0.34mm ²	128x.10mm		PVC	Gray	12.8	orange blue white/blk Tr red/blk Tr green/blk Tr orange/blk Tr blue/blk Tr black/white Tr green red white black	HFS-12P-14XX HFA-12P-14XX
15	3	0.25mm ²	26x.13mm	2464	PVC	Yellow	5.0	green red/black red/white	U-FS3TAV152 U-FA3TAV152 U-MS3TAV152 U-MA3TAV152
16	4	0.25mm ²	26x.13mm	2464	PVC	Yellow	5.0	red/black red/white red green	U-FS4TAV162 U-FA4TAV162 U-MS4TAV162 U-MA4TAV162
17	4	0.50mm ²	16x.20mm		PUR/PVC	Orange	5.0	brown black blue yellow/green	U2-R5/4Z-17XX
18	5	0.34mm ²	26x.13mm	2464	PVC	Yellow	5.2	red/white red green red/yellow red/black	U-FS5TAV182 U-FA5TAV182 U-MS5TAV182 U-MA5TAV182

CABLE SPECIFICATION

Conductors				Jacket					Type
Catalog Number	NO	Guage	Stranding	UL Style	Material	Color	Dia. ϕ mm	Color Code	Typical Part Number
19	6	0.25mm ²	26x.13mm	2464	PVC	Yellow	6.3	red/white red green red/yellow red/black red/blue	U-FS6TAV192 U-MS6TAV192
20	7	3x.75mm ²	96x.10mm		PVC (Irradiated)	Black	8.4	brown blue green/yellow	ASTR4-5/4AZ-2XX0 ASTR4-5/4PA-20XX ASTR4-5/4NA-20XX
		4x.34mm ²	42x.10mm					white green yellow grey	
21	9	3x.75mm ²	96x.10mm		PVC (Irradiated)	Black	9.0	brown blue green/yellow	DSTR6-5/4AZ-21XX DSTR6-5/4PA-21XX DSTR6-5/4NA-21XX
		6x.34mm ²	42x.10mm					white green yellow grey pink red	
22	11	3x.75mm ²	96x.10mm		PVC (Irradiated)	Black	9.0	brown blue green/yellow	DSTR8-5/4AZ-22XX DSTR8-5/4PA-22XX DSTR8-5/4NA-22XX
		8x.34mm ²	42x.10mm					white green yellow grey pink red black violet	
23	6	2x.75mm ²	96x.10mm		PUR/PVC	Black	8.4	GND common red orange black blue	ASTU4-3/3AZ-23XX
		4x.34mm ²	42x.10mm						
24	8	2x.75mm ²	96x.10mm		PUR/PVC	Black	9.0	GND common red orange black blue white w/blk TR. red w/blk TR.	DSTU6-3/3AZ-24XX
		6x.34mm ²	42x.10mm						
25	10	2x.75mm ²	96x.10mm		PUR/PVC	Black	9.0	GND common red orange black blue white/blk TR. red w/blk TR. green w/blk TR. orange w/blk TR.	DSTU8-3/3AZ-25XX
		8x.34mm ²	42x.10mm						

CABLE SPECIFICATION

Conductors				Jacket					Type
Catalog Number	NO	Guage	Stranding	UL Style	Material	Color	Dia. ϕ mm	Color Code	Typical Part Number
26	3	0.34mm ²	42x.10mm	2464	PVC	Orange	5.0	black blue yellow/green	U-FS3TAV262/M12 U-FA3TAV262/M12 B-MS4/3TZV262 B-MA4/3TZV262 B-FS4/3TZV262 B-FA4/3TZV262
27	3	0.34mm ²	42x.10mm		PVC	Orange	5.0	brown blue green/yellow	B-MS4/3TZV272/B B-MA4/3TZV272/B B-FS4/3TZV272/B B-FA4/3TZV272/B
28	4	0.34mm ²	42x.10mm	2464	PVC	Orange	5.5	brown blue black green/yellow	B-MS4TZV282 B-MA4TZV282 B-FS4TZV282 B-FA4TZV282 U2-R5/4Z-28XX
29	5	0.34mm ²	42x.10mm	2464	PVC	Orange	6.0	brown white blue black green/yellow	B-MS5TZV292 B-MA5TZV292 B-FS5TZV292 B-FA5TZV292
30	7	3x.75mm ²	96x.10mm		PUR/PVC	Yellow	8.4	brown blue green/yellow	ASTR4-5/4AZ-30XX ASTR4-5/4PA-30XX ASTR4-5/4NA-30XX
		4x.34mm ²	42x.10mm					white green yellow grey	
31	3	0.34mm ²	42x.10mm		PVC (irradiated)	Orange	5.0	brown blue black	R-FS3TZV312 R-FS4/3TZV312 R-FA3TZV312 R-FA4/3TZV312 R-FS4/3TPV312 R-FA4/3TPV312A R-FA4/3TNV312C R-FA4/3TPV312H R-MS3TZV312 R-MS4/3TZV312 R-MA3TZV312 R-MA4/3TZV312 R-MA4/3TNV312

CABLE SPECIFICATION

Conductors				Jacket					Type
Catalog Number	NO	Guage	Stranding	UL Style	Material	Color	Dia. ϕ mm	Color Code	Typical Part Number
32	11	3x.75mm ²	96x.10mm		PUR/PVC	Yellow	9.0	brown blue green/yellow	DSTR8-5/4AZ-32XX DSTR8-5/4PA-32XX DSTR8-5/4NA-32XX DSTR8-5/4PA-P12 DSTR8-5/4NA-P12 DSTR8-5/4PA-PZ12 DSTR8-5/4NA-PZ12
		8x.34mm ²	42x.10mm					white green yellow grey pink red black violet	
33	9	3x.75mm ²	96x.10mm		PUR/PVC	Yellow	9.0	brown blue green/yellow	DSTR6-5/4AZ-31XX DSTR6-5/4PA-31XX DSTR6-5/4NA-31XX
		6x.34mm ²	42x.10mm					white green yellow grey pink red	
34	15	3x1mm ²	128x.10mm		PUR	Yellow	10.4	brown blue green/yellow	DLTR6-5/5UZ-34XX DLTR6-5/5DC-34XX
		12x.5mm ²	64x.10mm					grey/pink red/bule white/green brown/green white/yellow yellow/brown white green yellow grey pink red	
35	3	0.34mm ²	42x.10mm		PUR/PVC	Yellow	5.0	brown blue black	U2-R4/3Z-35XX
36	11	3x1mm ²	128x.10mm		PUR	yellow	9.3	brown blue green/yellow	ALTR4-5/5UZ-36XX ALTR4-5/5DC-36XX
		8x.5mm ²	64x.10mm					grey/pink red/bule white/green brown/green white green yellow grey	

CABLE SPECIFICATION

Conductors				Jacket					Type
Catalog Number	NO	Guage	Stranding	UL Style	Material	Color	Dia. ϕ mm	Color Code	Typical Part Number
38	19	3x1mm ²	128x ϕ 10mm		PUR	Black	11.6	brown blue green/yellow	DLTR8-5/5UZ-38XX DLTR8-5/5EC-38XX DLTR8-5/5DC-38XX DLTR8-5/5DC-P19 HFS-19P-38XX HFA-19P-38XX HFS-19P-38XX+HFA-19P-Q
		16x.5mm ²	64x ϕ 10mm					grey/pink red/blue white/green brown/green white/yellow yellow /brown white/grey grey/brown white green yellow grey pink red black violet	
39	12	0.34mm ²	128x.10mm		PUR	Black	12.8	orange blue white/blk Tr. red/blk Tr. green/blk Tr. orange/blk Tr. blue/blk Tr. black/white Tr. green red white black	HFS-12P-39XX HFA-12P-39XX HFS-12P-14XX+HFA-12P-Q
40	7	3x.8mm ²	160x.08mm		PUR/PVC	Black	9.0	Gray/pink red/blue white/green brown/green	ASTR4-4/3UZ-40XX
		6x.4mm ²	80x.08mm					blue white green yellow grey	
41	11	1x.8mm ²	160x.08mm		PUR/PVC	Black	9.0	Grey/pink red/blue white/green brown/green white/yellow yellow/brown white/grey grey/brown	DLTR8-4/3UZ-41XX
		16x.4mm ²	80x.08mm					blue white green yellow grey pink red black violet grey/yellow	
42	4	0.50mm ²	16x ϕ .20mm		PVC	Orange	6.3	brown white blue black	Z-FS4PAV422 Z-FA4PAV422 Z-FS4KAV422 Z-MS4PZAV422 Z-MA4PAV422 Z-MS4KAV422

CABLE SPECIFICATION

Conductors				Jacket					Type
Catalog Number	NO	Guage	Stranding	UL Style	Material	Color	Dia. ϕ mm	Color Code	Typical Part Number
43	5	0.50mm ²	16 × .20mm		PVC	Orange	6.8	black blue yellow/green brown white	Z-FS5KAV432 Z-MS5KAV432
44	6	0.50mm ²	16 × .20mm		PVC	Orange	6.8	black blue yellow brown white green	Z-FS6KAV442 Z-MS6KAV442
45	6	AWG 18	96X0.1mm	STOW-A	PVC	Yellow	12.7	white red green orange black blue	Z-FS6KAA452 Z-MS6KAA452
46	7	AWG 16	166X0.1mm	STOW-A	PVC	Yellow	15.1	white/blk Tr. black white red orange blue green	Z-FS7KAA462 Z-MS7KAA462
47	8	AWG 16	166X0.1mm	STOW-A	PVC	Yellow	16.1	orange blue white/blk Tr. Black white red green red/blk Tr.	Z-FS8KAA472 Z-MS8KAA472
48	9	AWG 16	166X0.1mm	STOW-A	PVC	Yellow	16.9	orange blue red/blk Tr. green/blk Tr. white red green white/blk Tr. black	Z-FS9KAA482 Z-MS9KAA482
49	10	AWG 16	166X0.1mm	STOW-A	PVC	Yellow	17.5	orange blue white/black Tr. red/black Tr. green/black Tr. orange/black Tr. red green black white	Z-FS10KAA492 Z-MS10KAA492
50	11	AWG 18	96x.10mm 42x.10mm	STOO	PVC	Yellow	9.0	black red pink gray yellow green white violet white with yellow TR. blue N/C brown	Z-FS12KAT50** Z-MS12KAT50**

CABLE SPECIFICATION

Conductors				Jacket					Type
Catalog Number	NO	Guage	Stranding	UL Style	Material	Color	Dia. ϕ mm	Color Code	Typical Part Number
51	5	0.50mm ²	16×.20mm		PVC	Black	6.0	brown white black blue green/yellow	V-FAZATV512 V-FAEATV512
52	5	0.50mm ²	16×.20mm		PUR	Black	6.0	brown white black blue green/yellow	V-FAZATU522 V-FAEATU522
53	3	0.50mm ²	16×.20mm		PVC	Black	5.0	brown blue green/yellow	V-FANAOV532 V-FAZBOV532 V-FANCOV532 V-FANGOV532
54	3	0.75mm ²	24×.20mm		PVC	Black	6.0	brown blue green/yellow	V-FAEBOV542 V-FAZDOV542 V-FAEDOV542
55	3	0.50mm ²	16×.20mm		PVC (Irradiated)	Black	5.0	brown blue green/yellow	V-FAZBW552 V-FAEBW552 V-FAZBW552 V-FAEBSV552 V-FAZDW552 V-FAEDW552 V-FAZDSV552 V-FAEDSV552 V-FANAV552 V-FANASV552 V-FANCW552 V-FANGW552
56	3	0.50mm ²	64x0.10mm		PUR	black	5.5	brown blue green/yellow	V-FANAVU562-M12 + V-FANAVU562

CABLE SPECIFICATION

Conductors				Jacket					Type
Catalog Number	NO	Guage	Stranding	UL Style	Material	Color	Dia. ϕ mm	Color Code	Typical Part Number
57	10	3x.75mm ²	96x ϕ 0.10		PVC	yellow	9.0	brown blue white green yellow grey pink red black violet	ASSR8-5/3PA-57xx ASSR8-5/3NA-57xx
		8x.34mm ²	42x ϕ 0.10						
58	10	3x.75mm ²	96x ϕ 0.10		PVC irradiated	yellow	9.0	brown blue white green yellow grey pink red black violet	ASSR8-5/3PA-58xx ASSR8-5/3NA-58xx
		8x.34mm ²	42x ϕ 0.10						
59	10	3x.75mm ²	96x ϕ 0.10		PUR/PVC	yellow	9.0	brown blue white green yellow grey pink red black violet	ASSR8-5/3PA-59xx ASSR8-5/3NA-59xx
		8x.34mm ²	42x ϕ 0.10						
60	11	AWG 18	96x.10mm	SOOW-A	PVC	Yellow	9.0	black red pink gray yellow green white violet white with yellow TR. blue N/C brown	Z-FS12KAS60XX Z-MS12KAS60XX
			42x.10mm						
61	12	AWG 16	166X0.1mm	STOW-A	PVC	Yellow	17.5	orange blue white/blk Tr. red/blk Tr. green/blk Tr. orange/blk Tr. blue/blk Tr. black/white Tr. green red white black	Z-FS12KAA61XX Z-MS12KAA612
62	4	0.34mm ²	42X.10mm		PVC	Black	6.2	violet orange brown black	R-MS4TZV622
63	4	0.34mm ²	42X.10mm		PVC	Black	6.2	violet orange white black	R-MS4TZV632

CABLE SPECIFICATION

Conductors				Jacket					Type
Catalog Number	NO	Guage	Stranding	UL Style	Material	Color	Dia.	Color Code	Typical Part Number
64	6	3x.75mm ²	96xφ0.10		PVC	Yellow	8.4	Brown blue white green yellow grey	ASSR4-5/3PA-64xx ASSR4-5/3NA-64xx
		4x.34mm ²	42xφ0.10						
65	6	3x.75mm ²	96xφ0.10		PVC irradiated	Yellow	8.4	Brown blue white green yellow grey	ASSR4-5/3PA-65xx ASSR4-5/3NA-65xx
		4x.34mm ²	42xφ0.10						
66	6	3x.75mm ²	96xφ0.10		PUR/PVC	Yellow	8.4	Brown blue white green yellow grey	ASSR4-5/3PA-66xx ASSR4-5/3NA-66xx
		4x.34mm ²	42xφ0.10						
67	8	3x.75mm ²	96xφ0.10		PVC	yellow	9.0	brown blue white green yellow grey pink red	ASSR6-5/3PA-67xx ASSR6-5/3NA-67xx
		6x.34mm ²	42xφ0.10						
68	8	3x.75mm ²	96xφ0.10		PVC irradiated	yellow	9.0	brown blue white green yellow grey pink red	ASSR6-5/3PA-68xx ASSR6-5/3NA-68xx
		6x.34mm ²	42xφ0.10						
69	8	3x.75mm ²	96xφ0.10		PUR/PVC	yellow	9.0	brown blue white green yellow grey pink red	ASSR6-5/3PA-69xx ASSR6-5/3NA-69xx
		6x.34mm ²	42xφ0.10						
70	4	0.34mm ²	7xφ0.25		PVC	Black	6.2	brown white blue black	R-MS4TZV702
71	4	0.71mm ²	40xφ0.15		PVC	Black	20.0	Brown white blue black	R-FS4TZ + MS4TZV71xx/Flat
72	3	0.34mm ²	7xφ0.25		PVC	Black	6.2	red/black red/white red	U-MS4/3TAV722/M12
73	2	0.34mm ²	42xφ0.10		PVC	Black	5.0	Brown blue	C-FS3/2NZV732
74	2	0.34mm ²	42xφ0.10		PUR	Black	5.0	Brown blue	C-FS3/2NZV742

CABLE SPECIFICATION

Conductors				Jacket					Type
Catalog Number	NO	Guage	Stranding	UL Style	Material	Color	Dia.	Color Code	Typical Part Number
75	4	0.15mm ²	13x ϕ 0.12		PVC	Black	5.0	Brown white blue black	C-MS4NZV752+ Overmolding
76	4	0.34mm ²	26x ϕ 0.13		PUR	yellow	5.3	Brown white blue black	Z-MS4KAY762 Z-FS4KAY762
77	8	0.34mm ²	40x ϕ 0.10		PVC	black	8.0	White brown green yellow grey pink blue red	Z-FS8KAV772
		0.75mm ²	95x ϕ 0.10						
78	3	0.34mm ²	42x ϕ 0.10		PVC irradiated	Yellow	5.0	Brown blue green/ yellow	R-MS5/3TZV782+ V-FAZBVV782
79	2	0.34mm ²	42x ϕ 0.10		PUR/PVC	Yellow	5.0	Brown blue	R-MA4/2TZY792+ U-FS3/2TAY792
80	4	0.82mm ²	16x ϕ 0.25		PVC	Black	6.2	Brown white blue black	M-2RFS4TZ+RMS4TZV80xx-A M-2RFS4TZ+RMS4TZV80xx-B M-2RFS4+RMS3TZV80xx M-3RS4TZV80xx M-4RA4/4TZV80xx
81	4	0.34mm ²	42x.10mm		PVC irradiated	Orange	5.0	brown white blue black	R-FS4TZV812 R-FA4TZV812 R-FS4TPV812 R-FA4TPV812F F-FA4TNV812G R-FA4TPV812P R-MS4TZV812 R-MA4TZV812
82	5	0.50mm ²	16 x .2mm		PUR	Yellow	6.0	brown white blue black gray	R-FS5TZU822 R-FA5TZU822 R-MS5TZU822 R-MA5TZU822

CABLE SPECIFICATION

Conductors				Jacket					Type
Catalog Number	NO	Guage	Stranding	UL Style	Material	Color	Dia.	Color Code	Typical Part Number
83	4	1.3mm ²	25x ϕ 0.25		PVC	Black	7.0	Brown white blue black	M-3RS4/3/2TZV83xx M-3RS4/2TZV83xx
84	3	0.82mm ²	16x ϕ 0.25		PVC	Black	6.2	Brown blue black	M-RMS4/3TZV84xx M-RMS3TZV84xx
85	4	0.82mm ²	16x ϕ 0.25		PVC	Black	6.2	Violet white orange black	M-RMS4/3TZV84xx + RFS4TZV85xx
87	4	0.25mm ²	32x .1mm		PUR/PVC	Orange	5.0	brown white blue black	R-FS4TZY872 R-FA4TZY872 R-FS4TPY872 R-FA4TPY872F R-FA4TNY872G R-FA4TPY872P R-MS4TZY872 R-MA4TZY872 C-FS4NZY872 C-FA4NZY872 C-FS4TZY872 C-FA4TZY872 C-MS4NZY872 C-MS4TZY872 C-MA4TZY872
88	6	V+and V- 0.75mm ² Control 0.34mm ²	V+and V- 95x0.1mm Control 42x0.1mm	2464	PVC/PUR	Yellow	7.0	brown blue white green yellow gray	DM8C4-3/3PA-88XX DM8C4-3/3PA88TXX
89	6	V+and V- 0.75mm ² Control 0.34mm ²	V+and V- 95x0.1mm Control 42x0.1mm	2464	PUR	Yellow	7.0	brown blue white green yellow gray	DM8C4-3/3PA-89XX DM8C4-3/3PA89TXX
90	8	V+and V- 0.75mm ² Control 0.34mm ²	V+and V- 95x0.1mm Control 42x0.1mm	2464	PVC/PUR	Yellow	7.0	brown blue white green yellow gray pink red	DM8C4-3/3PA-90XX DM8C4-3/3PA90TXX

CABLE SPECIFICATION

Conductors				Jacket					Type
Catalog Number	NO	Guage	Stranding	UL Style	Material	Color	Dia.	Color Code	Typical Part Number
91	8	V+and V- 0.75mm ²	V+and V- 95x0.1mm	2464	PUR	Yellow	7.0	brown blue white green yellow gray pink red	DM8C4-3/3PA-91XX DM8C4-3/3PA91TXX
		Control 0.34mm ²	Control 42x0.1mm						
92	10	V+and V- 0.75mm ²	V+and V- 95x0.1mm	2464	PVC/PUR	Yellow	7.0	brown blue white green yellow gray pink red black violet	DM8C4-3/3PA-92XX DM8C4-3/3PA92TXX
		Control 0.34mm ²	Control 42x0.1mm						
93	10	V+and V- 0.75mm ²	V+and V- 95x0.1mm	2464	PUR	Yellow	7.0	brown blue white green yellow gray pink red black violet	DM8C4-3/3PA-93XX DM8C4-3/3PA93TXX
		Control 0.34mm ²	Control 42x0.1mm						
94	12	V+and V- 0.75mm ²	V+and V- 95x0.1mm	2464	PVC/PUR	Yellow	7.0	brown blue white green yellow gray pink red black violet gray/pink red/blue	DM8C4-3/3PA-94XX DM8C4-3/3PA94TXX
		Control 0.34mm ²	Control 42x0.1mm						
95	12	V+and V- 0.75mm ²	V+and V- 95x0.1mm	2464	PUR	Yellow	7.0	brown blue white green yellow gray pink red black violet gray/pink red/blue	DM8C10-3/3PA-95XX DM8C10-3/3PA95TXX
		Control 0.34mm ²	Control 42x0.1mm						
96	8	0.50mm ²	65x.10mm		PVC	black	7.2	white brown green yellow grey pink blue red	R-FA8TZV962 R-MA8TZV962 R-MS8TZV962
97	3	0.25mm ²	19xφ0.12x1C		PVC	Black	5.7	brown blue black	R-FS5/3TZV972
		0.93mm ²	19xφ0.25x2C						

CABLE SPECIFICATION

Conductors				Jacket					Type
Catalog Number	NO	Guage	Stranding	UL Style	Material	Color	Dia.	Color Code	Typical Part Number
98	4	0.34mm ²	7x ϕ 0.25		PVC	Black	6.2	Violet White Orange Black	R-MS4TZV982
99	4	0.80mm ²	16x ϕ 0.25		PVC	Yellow	6.2	brown white blue black	R-MS4TN/PV992
100	19	3x.75mm ²	96x ϕ 0.10		PUR	black	9.0	Violet White red yellow grey pink blue gray red/blue green brown white/green white/yellow white/gray black yellow/green (gnd) yellow/brown brown/green gray/pink	Z-FS19KAU100xx Z-MS19KAU100xx
		8x.34mm ²	42x ϕ 0.10						
101	19	16x.5mm ²	64x ϕ 0.10		PUR	black	11.6	Violet White red yellow grey pink green brown blue red/blue grey/pink white/green white/yellow white/gray black yellow/green yellow/brown brown/green gray/brown	Z-MS19KAA1019
102	8	0.50mm ²	65x.10mm		PUR	Orange	7.2	white brown green yellow grey pink blue red	R-MS8TZU1022 R-FA8TZU1022 R-MA8TZU1022
103	3	0.34mm ²	42x.10mm		PVC	Black	5.0	Brown blue black	M-RMS3TZV1032 + 2RFS4/3TPY1032
104	4	0.25mm ²	32x.10mm		PVC	Black	5.0	Brown white blue black	M-RMS4TZV1042 + 2RFA4TPV1042P
106	8	2x0.34mm ²	40 x ϕ 0.10		PVC	Black	9.5	Blue Brown Green Connected w/ White Gray Yellow Connected w/a	Z-FS14/8KAVXX2
		6x0.75mm ² (Brown&Blue)	95 x ϕ 0.10 (Brown&Blue)						

CABLE SPECIFICATION

Conductors				Jacket					Type
Catalog Number	NO	Guage	Stranding	UL Style	Material	Color	Dia.	Color Code	Typical Part Number
107	10	2x0.34mm ²	40 xφ0.10		PVC	Black	9.5	Blue Brown Pink Green Connected w/ White Red Gray Yellow Connected w/a	Z-FS14/10KAV1072
		8x0.75mm ² (Brown&Blue)	95 xφ0.10 (Brown&Blue)						
108	12	2x0.34mm ²	40 xφ0.10		PVC	Black	9.5	Blue Brown Black Pink Green Connected w/ Violet White Red Gray Yellow Connected w/a	Z-FS14/12KAV1082
		10x0.75mm ² (Brown&Blue)	95 xφ0.10 (Brown&Blue)						
109	5	0.34mm ²	42x.10mm		PVC	black	6.0	Brown white blue black gray	C-FS5NZV1092 C-FA5NZV1092 C-MA5NZV1092 C-MS5NZV109
110	5	0.50mm ²	42x.10mm		PUR	black	6.0	Brown white blue black gray	C-FS5NZU1102 C-MA5NZU1102 C-FA5NZU1102 C-MS5NZU1102
111	8	0.50mm ²	65x.10mm		PVC	black	7.2	white brown green yellow gray pink blue red	C-MS8NZV1112 C-MA8NZV1112 C-FS8NZV1112 C-FA8NZV1112
112	8	0.50mm ²	65x.10mm		PUR	black	7.2	white brown green yellow gray pink blue red	C-MS8NZU1122 C-MA8NZU1122 C-FS8NZU1122 C-FA8NZU1122
113	5	0.34mm ²	42x.10mm		PVC	orange	6.0	Brown white blue black gray	C-FS5TZV1132 C-FS5NZV1132 C-FS5TNV1132 C-FS5NNV1132
114	5	0.50mm ²	16x.10mm		PUR/PVC	orange	6.0	Brown white blue black gray	C-FS5NZY1142 C-FA5NZY1142 C-MS5NZY1142 C-MA5NZY1142
115	8	0.50mm ²	65x.10mm		PVC	orange	7.2	white brown green yellow gray pink blue red	C-FS8TPV1152 C-FA8TNV1152 C-MS8TNV1152 C-MA8TNV1152
116	8	0.50mm ²	65x.10mm		PUR/PVC	orange	7.2	white brown green yellow gray pink blue red	C-FS8NNY1162 C-FA8NNY1162 C-MS8NNY1162 C-MA8NNY1162
117	13	2x0.34mm ²	40 xφ0.10		PVC	Black	9.5	Blue Brown Gray/pink Black Pink Green Connected w/ Violet White Red Gray Yellow Connected w/a	Z-FS14/13KAV1172
		10x0.75mm ² (Brown&Blue)	95 xφ0.10 (Brown&Blue)						

CABLE SPECIFICATION

Conductors				Jacket					Type
Catalog Number	NO	Guage	Stranding	UL Style	Material	Color	Dia.	Color Code	Typical Part Number
118	3	0.18mm ²	36 xφ0.08		PVC	Black	3.0	Brown Blue black	M-FS3TZV1182 M-MS3TZV1182 M-FA3TZV1182 M-MA3TZV1182 M-FA3TPV1182/A M-FA3TPV1182/H M-FA3TPV1182/C
119	3	0.18mm ²	36 xφ0.08		PUR/PVC	Black	3.0	Brown Blue black	M-FS3TZY1192 M-MS3TZY1192 M-FA3TZY1192 M-MA3TZY1192 M-FA3TPY1192/A M-FA3TPY1192/H M-FA3TPY1192/C
120	4	0.18mm ²	36 xφ0.08		PVC	Black	3.0	Brown White Blue Black	M-FS4TZV1202 M-MS4TZV1202 M-FA4TZV1202 M-MA4TZV1202 M-FA4TPV1202/A M-FA4TPV1202/H M-FA4TPV1202/C
121	4	0.18mm ²	36 xφ0.08		PUR/PVC	Black	3.0	Brown White Blue Black	M-FS4TZY1212 M-MS4TZY1212 M-FA4TZY1212 M-MA4TZY1212 M-FA4TPY1212/A M-FA4TPY1212/H M-FA4TPY1212/C
122	11	3x0.75mm ² 8x0.34mm ²	42 xφ0.15 42 xφ0.10		PVC/PUR	Black	11.5	Brown Blue Green/yellow Grey/pink White Red/blue Green White/green Yellow Brown/green Gray	DM8C4-4/4PC-122Txx DM8C4-4/4NC-122Txx
123	15	3x0.75mm ² 8x0.34mm ²	42 xφ0.15 42 xφ0.10		PVC/PUR	Black	11.5	Brown Blue Green/yellow Grey/pink White Red/blue Green White/green Yellow Brown/green Gray White/yellow Pink Yellow/brown Red	DM8C6-4/4PC-123Txx DM8C6-4/4NC-123Txx
124	19	3x0.75mm ² 8x0.34mm ²	42 xφ0.15 42 xφ0.10		PVC/PUR	Black	11.5	Brown Blue Green/yellow Grey/pink White Red/blue Green White/green Yellow Brown/green Gray White/yellow Pink Yellow/brown red White/grey Black Grey/brown Violet	DM8C8-4/4PC-124Txx DM8C8-4/4NC-124Txx

CABLE SPECIFICATION

Conductors				Jacket					Type
Catalog Number	NO	Guage	Stranding	UL Style	Material	Color	Dia.	Color Code	Typical Part Number
125	11	3x0.75mm ²	42 xφ0.15		PUR	Black	11.5	Brown Blue Green/yellow Grey/pink White Red/blue Green White/green Yellow Brown/green Gray	DM8C4-4/4PC-125Txx DM8C4-4/4NC-125Txx
		8x0.34mm ²	42 xφ0.10						
126	15	3x0.75mm ²	42 xφ0.15		PUR	Black	11.5	Brown Blue Green/yellow Grey/pink White Red/blue Green White/green Yellow Brown/green Gray White/yellow Pink Yellow/brown Red	DM8C6-4/4PC-126Txx DM8C6-4/4NC-126Txx
		8x0.34mm ²	42 xφ0.10						
127	19	3x0.75mm ²	42 xφ0.15		PUR	Black	11.5	Brown Blue Green/yellow Grey/pink White Red/blue Green White/green Yellow Brown/green Gray White/yellow Pink Yellow/brown red White/grey Black Grey/brown Violet	DM8C8-4/4PC-127Txx DM8C8-4/4NC-127Txx
		8x0.34mm ²	42 xφ0.10						
128	23	3x0.75mm ²	42 xφ0.15		PUR	Black	11.5	Brown Blue Green/yellow Grey/pink White Red/blue Green White/green Yellow Brown/green Gray White/yellow Pink Yellow/brown red White/grey Black Grey/brown Violet Red/white orange orange/black cyan	DM8C10-4/4PC-128Txx DM8C10-4/4NC-128Txx
		8x0.34mm ²	42 xφ0.10						
129	23	3x0.75mm ²	42 xφ0.15		PVC/PUR	Black	11.5	Brown Blue Green/yellow Grey/pink White Red/blue Green White/green Yellow Brown/green Gray White/yellow Pink Yellow/brown red White/grey Black Grey/brown Violet Red/white orange orange/black cyan	DM8C10-4/4PC-129Txx DM8C10-4/4NC-129Txx
		8x0.34mm ²	42 xφ0.10						